



# RoadFlair Sleek and superior Beyond anticipation

## RoadFlair

Designed for major and city roads, Philips RoadFlair is a new and exciting product set to brighten your streets beyond imagination. Smartly-designed to bring cities the highest savings possible with best-in-class lumen per watt, this road lighting production comes at a competitive price bound to excite. Philips RoadFlair brings energy efficiency, improves a city's sustainability drive and delivers significant cost reduction in urban environments. The right road luminaire coupled with the right lighting application will create the best environment for your municipality, benefiting local communities and boosting tourism and businesses.

### Benefits

- High lumen efficacy 120 to 140 lumen per watt – much higher than currently available solutions.
- Unique functional design Sleek, light-weight and well-designed luminaire.
- Control and dimming ready Supports CityTouch connect application, 7-Pin Nema socket and standard outdoor dimming protocols.
- Value for money Most competitive product in its segment Perfect for renovation, upgrading projects. Best-in-class LED lighting technology at an unmatched, competitive price.

### Features

- Excellent thermal management operating Temperature -40 to 50C
- Exposed Optic Transparent and weather resistant grade polycarbonate optics
- Multiple optic Options to meet all road and street lighting application requirements
- Lightweight housing design
- Available in 3000K, 4000K, 5000K and 5700K CCT options

# RoadFlair

## Application

- Pedestrian Road
- Highway Road
- Residential Road
- Interchange

## Versions



BRP392/393 LED 220-240V DM



BRP394 LED 220-240V DM



BRP391 LED 220-240V DM


## Product details



RoadFlair BRP392 BRP393 Back



RoadFlair BRP394 Back



RoadFlair BRP391 Back

Approval and Application	
Mech. impact protection code	IK08
Controls and Dimming	
Dimmable	No
General Information	
CE mark	CE mark
Driver included	Yes
Light source replaceable	No
Initial Performance (IEC Compliant)	
Init. Color Rendering Index	>70

Application Conditions

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401600004	BRP392 LED141/NW 120W DM MP1 ILT	-	911401673303	BRP393 LED236/WW 210W 220-240V DM MP1 GC	-
911401600604	BRP392 LED110/NW 90W DM MP1 ILT	-	911401673403	BRP393 LED203/WW 180W 220-240V DM MP1 GC	-
911401610004	BRP393 LED252/NW 210W 220-240V DM GM	Not applicable	911401673503	BRP393 LED248/WW 220W 220-240V DM MP1 GC	-
911401610104	BRP393 LED264/NW 220W 220-240V DM GM	Not applicable	911401673603	BRP393 LED271/WW 240W 220-240V DM MP1 GC	-
911401610204	BRP393 LED228/NW 190W 220-240V DM GM	Not applicable	911401673703	BRP393 LED288/NW 240W 220-240V DM MP1 GC	-
911401610304	BRP393 LED240/NW 200W 220-240V DM GM	Not applicable	911401673803	BRP393 LED259/WW 230W 220-240V DM MP1 GC	-
911401610404	BRP393 LED216/NW 180W 220-240V DM GM	Not applicable	911401673903	BRP393 LED276/NW 230W 220-240V DM MP1 GC	-
911401610504	BRP393 LED204/NW 170W 220-240V DM GM	Not applicable	911401674003	BRP393 LED214/WW 190W 220-240V DM MP1 GC	-
911401610604	BRP393 LED259/WW 230W 220-240V DM GM	Not applicable	911401674103	BRP393 LED226/WW 200W 220-240V DM MP1 GC	-
911401610704	BRP393 LED192/WW 170W 220-240V DM GM	Not applicable	911401674203	BRP393 LED192/WW 170W 220-240V DM MP1 GC	-
911401610804	BRP393 LED248/WW 220W 220-240V DM GM	Not applicable	911401674303	BRP393 LED252/NW 210W 220-240V DM MP1 GC	-
911401610904	BRP393 LED214/WW 190W 220-240V DM GM	Not applicable	911401674403	BRP393 LED204/NW 170W 220-240V DM MP1 GC	-
911401611004	BRP393 LED276/NW 230W 220-240V DM GM	Not applicable	911401674503	BRP393 LED264/NW 220W 220-240V DM MP1 GC	-
911401611104	BRP393 LED203/WW 180W 220-240V DM GM	Not applicable	911401674603	BRP393 LED216/NW 180W 220-240V DM MP1 GC	-
911401611204	BRP393 LED237/WW 210W 220-240V DM GM	Not applicable	911401674703	BRP393 LED240/NW 200W 220-240V DM MP1 GC	-
911401611304	BRP393 LED226/WW 200W 220-240V DM GM	Not applicable	911401674803	BRP393 LED228/NW 190W 220-240V DM MP1 GC	-
911401611404	BRP393 LED271/WW 240W 220-240V DM GM	Not applicable	911401676503	BRP392 LED178/NW 150W DM MP1 ILT	-
911401611504	BRP393 LED288/NW 240W 220-240V DM GM	Not applicable	911401699903	BRP392 LED120/NW 100W DM MP1 ILT	-
911401617504	BRP392 LED120/WW 100W DM MP1 ILT	-	911401815598	BRP392 LED156/NW 130W 220-240V DM	Not applicable
911401617804	BRP392 LED141/WW 120W DM MP1 ILT	-	911401815698	BRP392 LED120/NW 100W 220-240V DM	Not applicable
911401618004	BRP392 LED110/WW 90W DM MP1 ILT	-	911401816298	BRP392 LED108/NW 90W 220-240V DM	Not applicable
911401618604	BRP392 LED178/WW 150W DM MP1 ILT	-	911401816398	BRP392 LED132/NW 110W 220-240V DM	Not applicable
911401622403	BRP392 LED144/NW 120W 220-240V DM MP1	-	911401816498	BRP392 LED144/NW 120W 220-240V DM	Not applicable
911401622503	BRP392 LED192/NW 160W 220-240V DM MP1	-	911401816598	BRP392 LED168/NW 140W 220-240V DM	Not applicable
911401622903	BRP392 LED180/NW 150W 220-240V DM MP1	-	911401816698	BRP392 LED180/NW 150W 220-240V DM	Not applicable
911401623303	BRP392 LED120/NW 100W 220-240V DM MP1	-	911401816798	BRP392 LED192/NW 160W 220-240V DM	Not applicable
911401623403	BRP392 LED84/NW 70W 220-240V DM MP1	-	911401818198	BRP392 LED102/WW 90W 220-240V DM	Not applicable
911401623503	BRP392 LED96/NW 80W 220-240V DM MP1	-	911401818298	BRP392 LED113/WW 100W 220-240V DM	Not applicable
911401623703	BRP392 LED108/NW 90W 220-240V DM MP1	-	911401818398	BRP392 LED124/WW 110W 220-240V DM	Not applicable
911401624003	BRP392 LED90/WW 80W 220-240V DM MP1	-	911401818498	BRP392 LED135/WW 120W 220-240V DM	Not applicable
911401624303	BRP392 LED135/WW 120W 220-240V DM MP1	-	911401818598	BRP392 LED147/WW 130W 220-240V DM	Not applicable
911401624503	BRP392 LED79/WW 70W 220-240V DM MP1	-	911401818698	BRP392 LED158/WW 140W 220-240V DM	Not applicable
911401624603	BRP392 LED102/WW 90W 220-240V DM MP1	-	911401818798	BRP392 LED169/WW 150W 220-240V DM	Not applicable
911401624903	BRP392 LED113/WW 100W 220-240V DM MP1	-	911401818898	BRP392 LED180/WW 160W 220-240V DM	Not applicable
911401625403	BRP392 LED169/WW 150W 220-240V DM MP1	-	911401600104	BRP394 LED241/NW 200W DM MP1 ILT	-
911401625703	BRP392 LED180/WW 160W 220-240V DM MP1	-	911401600204	BRP394 LED335/NW 280W DM MP1 ILT	-

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401600304	BRP394 LED262/NW 220W DM MP1 ILT	-	911401817298	BRP394 LED336/NW 280W 220-240V DM	Not applicable
911401600404	BRP394 LED299/NW 250W DM MP1 ILT	-	911401817398	BRP394 LED360/NW 300W 220-240V DM	Not applicable
911401600504	BRP394 LED289/NW 240W DM MP1 ILT	-	911401817498	BRP394 LED372/NW 310W 220-240V DM	Not applicable
911401617604	BRP394 LED335/WW 280W DM MP1 ILT	-	911401817598	BRP394 LED384/NW 320W 220-240V DM	Not applicable
911401618204	BRP394 LED193/WW 160W DM MP1 ILT	-	911401818998	BRP394 LED192/WW 170W 220-240V DM	Not applicable
911401618304	BRP394 LED241/WW 200W DM MP1 ILT	-	911401819098	BRP394 LED203/WW 180W 220-240V DM	Not applicable
911401618404	BRP394 LED289/WW 240W DM MP1 ILT	-	911401819198	BRP394 LED214/WW 190W 220-240V DM	Not applicable
911401618504	BRP394 LED262/WW 220W DM MP1 ILT	-	911401819298	BRP394 LED226/WW 200W 220-240V DM	Not applicable
911401618704	BRP394 LED215/WW 180W DM MP1 ILT	-	911401819398	BRP394 LED237/WW 210W 220-240V DM	Not applicable
911401618804	BRP394 LED299/WW 250W DM MP1 ILT	-	911401819498	BRP394 LED248/WW 220W 220-240V DM	Not applicable
911401618904	BRP394 LED356/WW 300W DM MP1 ILT	-	911401819598	BRP394 LED259/WW 230W 220-240V DM	Not applicable
911401622603	BRP394 LED216/NW 180W 220-240V DM MP1	-	911401819698	BRP394 LED271/WW 240W 220-240V DM	Not applicable
911401622703	BRP394 LED288/NW 240W 220-240V DM MP1	-	911401819798	BRP394 LED282/WW 250W 220-240V DM	Not applicable
911401622803	BRP394 LED300/NW 250W 220-240V DM MP1	-	911401819898	BRP394 LED293/WW 260W 220-240V DM	Not applicable
911401623003	BRP394 LED264/NW 220W 220-240V DM MP1	-	911401819998	BRP394 LED305/WW 270W 220-240V DM	Not applicable
911401623103	BRP394 LED240/NW 200W 220-240V DM MP1	-	911401820098	BRP394 LED316/WW 280W 220-240V DM	Not applicable
911401623203	BRP394 LED336/NW 280W 220-240V DM MP1	-	911401820198	BRP394 LED327/WW 290W 220-240V DM	Not applicable
911401624103	BRP394 LED384/NW 320W 220-240V DM MP1	-	911401820298	BRP394 LED338/WW 300W 220-240V DM	Not applicable
911401624203	BRP394 LED360/NW 300W 220-240V DM MP1	-	911401820398	BRP394 LED350/WW 310W 220-240V DM	Not applicable
911401625003	BRP394 LED361/WW 320W 220-240V DM MP1	-	911401820498	BRP394 LED361/WW 320W 220-240V DM	Not applicable
911401625103	BRP394 LED338/WW 300W 220-240V DM MP1	-	911401617704	BRP391 LED60/WW 50W DM MP1 ILT	-
911401625203	BRP394 LED203/WW 180W 220-240V DM MP1	-	911401617904	BRP391 LED82/WW 70W DM MP1 ILT	-
911401625303	BRP394 LED271/WW 240W 220-240V DM MP1	-	911401618104	BRP391 LED92/WW 80W DM MP1 ILT	-
911401625503	BRP394 LED248/WW 220W 220-240V DM MP1	-	911401623603	BRP391 LED96/NW 80W 220-240V DM MP1	-
911401625603	BRP394 LED282/WW 250W 220-240V DM MP1	-	911401623803	BRP391 LED84/NW 70W 220-240V DM MP1	-
911401625803	BRP394 LED316/WW 280W 220-240V DM MP1	-	911401623903	BRP391 LED60/NW 50W 220-240V DM MP1	-
911401625903	BRP394 LED226/WW 200W 220-240V DM MP1	-	911401624403	BRP391 LED90/WW 80W 220-240V DM MP1	-
911401676603	BRP394 LED356/NW 300W DM MP1 ILT	-	911401624703	BRP391 LED56/WW 50W 220-240V DM MP1	-
911401699703	BRP394 LED193/NW 160W DM MP1 ILT	-	911401624803	BRP391 LED79/WW 70W 220-240V DM MP1	-
911401699803	BRP394 LED215/NW 180W DM MP1 ILT	-	911401676303	BRP391 LED82/NW 70W DM MP1 ILT	-
911401814798	BRP394 LED348/NW 290W 220-240V DM	Not applicable	911401676403	BRP391 LED92/NW 80W DM MP1 ILT	-
911401814898	BRP394 LED300/NW 250W 220-240V DM	Not applicable	911401699603	BRP391 LED60/NW 50W DM MP1 ILT	-
911401814998	BRP394 LED312/NW 260W 220-240V DM	Not applicable	911401815798	BRP391 LED96/NW 80W 220-240V DM	Not applicable
911401815098	BRP394 LED288/NW 240W 220-240V DM	Not applicable	911401815898	BRP391 LED48/NW 40W 220-240V DM	Not applicable
911401815198	BRP394 LED276/NW 230W 220-240V DM	Not applicable	911401815998	BRP391 LED60/NW 50W 220-240V DM	Not applicable
911401815298	BRP394 LED252/NW 210W 220-240V DM	Not applicable	911401816098	BRP391 LED72/NW 60W 220-240V DM	Not applicable
911401815398	BRP394 LED240/NW 200W 220-240V DM	Not applicable	911401816198	BRP391 LED84/NW 70W 220-240V DM	Not applicable
911401815498	BRP394 LED228/NW 190W 220-240V DM	Not applicable	911401817698	BRP391 LED45/WW 40W 220-240V DM	Not applicable
911401816898	BRP394 LED204/NW 170W 220-240V DM	Not applicable	911401817798	BRP391 LED56/WW 50W 220-240V DM	Not applicable
911401816998	BRP394 LED216/NW 180W 220-240V DM	Not applicable	911401817898	BRP391 LED68/WW 60W 220-240V DM	Not applicable
911401817098	BRP394 LED264/NW 220W 220-240V DM	Not applicable	911401817998	BRP391 LED79/WW 70W 220-240V DM	Not applicable
911401817198	BRP394 LED324/NW 270W 220-240V DM	Not applicable	911401818098	BRP391 LED90/WW 80W 220-240V DM	Not applicable

General Information

Order Code	Full Product Name	Optical cover/		Lamp family			Number of gear units	Optic type
		Light source color	lens type	ENEC mark	Flammability mark	code		
911401600004	BRP392 LED141/NW 120W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam
911401600604	BRP392 LED110/NW 90W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam
911401610004	BRP393 LED252/NW 210W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-
911401610104	BRP393 LED264/NW 220W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-
911401610204	BRP393 LED228/NW 190W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-

Order Code	Full Product Name	Light source color	Optical cover/			Lamp family		Number of gear units	Optic type
			lens type	ENEC mark	Flammability mark	code			
911401610304	BRP393 LED240/NW 200W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-	
911401610404	BRP393 LED216/NW 180W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-	
911401610504	BRP393 LED204/NW 170W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-	
911401610604	BRP393 LED259/WW 230W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401610704	BRP393 LED192/WW 170W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401610804	BRP393 LED248/WW 220W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401610904	BRP393 LED214/WW 190W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401611004	BRP393 LED276/NW 230W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-	
911401611104	BRP393 LED203/WW 180W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401611204	BRP393 LED237/WW 210W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401611304	BRP393 LED226/WW 200W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401611404	BRP393 LED271/WW 240W 220-240V DM GM	730 warm white	-	-	-	-	2 units	-	
911401611504	BRP393 LED288/NW 240W 220-240V DM GM	740 neutral white	-	-	-	-	2 units	-	
911401617504	BRP392 LED120/WW 100W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401617804	BRP392 LED141/WW 120W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618004	BRP392 LED110/WW 90W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618604	BRP392 LED178/WW 150W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401622403	BRP392 LED144/NW 120W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401622503	BRP392 LED192/NW 160W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401622903	BRP392 LED180/NW 150W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623303	BRP392 LED120/NW 100W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623403	BRP392 LED84/NW 70W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623503	BRP392 LED96/NW 80W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623703	BRP392 LED108/NW 90W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401624003	BRP392 LED90/WW 80W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624303	BRP392 LED135/WW 120W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624503	BRP392 LED79/WW 70W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624603	BRP392 LED102/WW 90W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624903	BRP392 LED113/WW 100W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625403	BRP392 LED169/WW 150W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625703	BRP392 LED180/WW 160W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401673303	BRP393 LED236/WW 210W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401673403	BRP393 LED203/WW 180W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401673503	BRP393 LED248/WW 220W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401673603	BRP393 LED271/WW 240W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401673703	BRP393 LED288/NW 240W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401673803	BRP393 LED259/WW 230W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401673903	BRP393 LED276/NW 230W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674003	BRP393 LED214/WW 190W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401674103	BRP393 LED226/WW 200W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401674203	BRP393 LED192/WW 170W 220-240V DM MP1 GC	730 warm white	-	-	-	-	-	Medium beam	
911401674303	BRP393 LED252/NW 210W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674403	BRP393 LED204/NW 170W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674503	BRP393 LED264/NW 220W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674603	BRP393 LED216/NW 180W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674703	BRP393 LED240/NW 200W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401674803	BRP393 LED228/NW 190W 220-240V DM MP1 GC	740 neutral white	-	-	-	-	-	Medium beam	
911401676503	BRP392 LED178/NW 150W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401699903	BRP392 LED120/NW 100W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401815598	BRP392 LED156/NW 130W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401815698	BRP392 LED120/NW 100W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	

Order Code	Full Product Name	Optical cover/				Lamp family		Number of gear units	Optic type
		Light source color	lens type	ENEC mark	Flammability mark	code			
911401816298	BRP392 LED108/NW 90W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816398	BRP392 LED132/NW 110W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816498	BRP392 LED144/NW 120W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816598	BRP392 LED168/NW 140W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816698	BRP392 LED180/NW 150W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816798	BRP392 LED192/NW 160W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401818198	BRP392 LED102/WW 90W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818298	BRP392 LED113/WW 100W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818398	BRP392 LED124/WW 110W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818498	BRP392 LED135/WW 120W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818598	BRP392 LED147/WW 130W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818698	BRP392 LED158/WW 140W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818798	BRP392 LED169/WW 150W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818898	BRP392 LED180/WW 160W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401600104	BRP394 LED241/NW 200W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401600204	BRP394 LED335/NW 280W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401600304	BRP394 LED262/NW 220W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401600404	BRP394 LED299/NW 250W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401600504	BRP394 LED289/NW 240W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401617604	BRP394 LED335/WW 280W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618204	BRP394 LED193/WW 160W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618304	BRP394 LED241/WW 200W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618404	BRP394 LED289/WW 240W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618504	BRP394 LED262/WW 220W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618704	BRP394 LED215/WW 180W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618804	BRP394 LED299/WW 250W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618904	BRP394 LED356/WW 300W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401622603	BRP394 LED216/NW 180W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401622703	BRP394 LED288/NW 240W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401622803	BRP394 LED300/NW 250W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623003	BRP394 LED264/NW 220W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623103	BRP394 LED240/NW 200W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623203	BRP394 LED336/NW 280W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401624103	BRP394 LED384/NW 320W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401624203	BRP394 LED360/NW 300W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401625003	BRP394 LED361/WW 320W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625103	BRP394 LED338/WW 300W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625203	BRP394 LED203/WW 180W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625303	BRP394 LED271/WW 240W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625503	BRP394 LED248/WW 220W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625603	BRP394 LED282/WW 250W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625803	BRP394 LED316/WW 280W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401625903	BRP394 LED226/WW 200W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401676603	BRP394 LED356/NW 300W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401699703	BRP394 LED193/NW 160W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401699803	BRP394 LED215/NW 180W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401814798	BRP394 LED348/NW 290W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401814898	BRP394 LED300/NW 250W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401814998	BRP394 LED312/NW 260W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401815098	BRP394 LED288/NW 240W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401815198	BRP394 LED276/NW 230W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	

Order Code	Full Product Name	Optical cover/				Lamp family		Number of gear units	Optic type
		Light source color	lens type	ENEC mark	Flammability mark	code			
911401815298	BRP394 LED252/NW 210W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401815398	BRP394 LED240/NW 200W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401815498	BRP394 LED228/NW 190W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401816898	BRP394 LED204/NW 170W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401816998	BRP394 LED216/NW 180W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817098	BRP394 LED264/NW 220W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817198	BRP394 LED324/NW 270W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817298	BRP394 LED336/NW 280W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817398	BRP394 LED360/NW 300W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817498	BRP394 LED372/NW 310W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401817598	BRP394 LED384/NW 320W 220-240V DM	740 neutral white	-	-	-	-	2 units	-	
911401818998	BRP394 LED192/WW 170W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819098	BRP394 LED203/WW 180W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819198	BRP394 LED214/WW 190W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819298	BRP394 LED226/WW 200W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819398	BRP394 LED237/WW 210W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819498	BRP394 LED248/WW 220W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819598	BRP394 LED259/WW 230W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819698	BRP394 LED271/WW 240W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819798	BRP394 LED282/WW 250W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819898	BRP394 LED293/WW 260W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401819998	BRP394 LED305/WW 270W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401820098	BRP394 LED316/WW 280W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401820198	BRP394 LED327/WW 290W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401820298	BRP394 LED338/WW 300W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401820398	BRP394 LED350/WW 310W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401820498	BRP394 LED361/WW 320W 220-240V DM	730 warm white	-	-	-	-	2 units	-	
911401617704	BRP391 LED60/WW 50W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401617904	BRP391 LED82/WW 70W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401618104	BRP391 LED92/WW 80W DM MP1 ILT	730 warm white	-	-	-	-	-	Medium beam	
911401623603	BRP391 LED96/NW 80W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623803	BRP391 LED84/NW 70W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401623903	BRP391 LED60/NW 50W 220-240V DM MP1	740 neutral white	-	-	-	-	-	Medium beam	
911401624403	BRP391 LED90/WW 80W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624703	BRP391 LED56/WW 50W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401624803	BRP391 LED79/WW 70W 220-240V DM MP1	730 warm white	-	-	-	-	-	Medium beam	
911401676303	BRP391 LED82/NW 70W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401676403	BRP391 LED92/NW 80W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401699603	BRP391 LED60/NW 50W DM MP1 ILT	740 neutral white	-	-	-	-	-	Medium beam	
911401815798	BRP391 LED96/NW 80W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401815898	BRP391 LED48/NW 40W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401815998	BRP391 LED60/NW 50W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816098	BRP391 LED72/NW 60W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401816198	BRP391 LED84/NW 70W 220-240V DM	740 neutral white	-	-	-	-	1 unit	-	
911401817698	BRP391 LED45/WW 40W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401817798	BRP391 LED56/WW 50W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401817898	BRP391 LED68/WW 60W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401817998	BRP391 LED79/WW 70W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	
911401818098	BRP391 LED90/WW 80W 220-240V DM	730 warm white	-	-	-	-	1 unit	-	

**Initial Performance (IEC Compliant)**

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401600004	BRP392 LED141/NW 120W DM MP1 ILT	4000 K	14100 lm
911401600604	BRP392 LED110/NW 90W DM MP1 ILT	4000 K	11000 lm
911401610004	BRP393 LED252/NW 210W 220-240V DM GM	4000 K	25200 lm
911401610104	BRP393 LED264/NW 220W 220-240V DM GM	4000 K	26400 lm
911401610204	BRP393 LED228/NW 190W 220-240V DM GM	4000 K	22800 lm
911401610304	BRP393 LED240/NW 200W 220-240V DM GM	4000 K	24000 lm
911401610404	BRP393 LED216/NW 180W 220-240V DM GM	4000 K	21600 lm
911401610504	BRP393 LED204/NW 170W 220-240V DM GM	4000 K	20400 lm
911401610604	BRP393 LED259/WW 230W 220-240V DM GM	3000 K	25944 lm
911401610704	BRP393 LED192/WW 170W 220-240V DM GM	3000 K	19176 lm
911401610804	BRP393 LED248/WW 220W 220-240V DM GM	3000 K	24816 lm
911401610904	BRP393 LED214/WW 190W 220-240V DM GM	3000 K	21432 lm
911401611004	BRP393 LED276/NW 230W 220-240V DM GM	4000 K	27600 lm
911401611104	BRP393 LED203/WW 180W 220-240V DM GM	3000 K	20304 lm
911401611204	BRP393 LED237/WW 210W 220-240V DM GM	3000 K	23688 lm
911401611304	BRP393 LED226/WW 200W 220-240V DM GM	3000 K	22560 lm
911401611404	BRP393 LED271/WW 240W 220-240V DM GM	3000 K	27072 lm
911401611504	BRP393 LED288/NW 240W 220-240V DM GM	4000 K	28800 lm
911401617504	BRP392 LED120/WW 100W DM MP1 ILT	3000 K	12000 lm
911401617804	BRP392 LED141/WW 120W DM MP1 ILT	3000 K	14100 lm
911401618004	BRP392 LED110/WW 90W DM MP1 ILT	3000 K	11000 lm
911401618604	BRP392 LED178/WW 150W DM MP1 ILT	3000 K	17800 lm
911401622403	BRP392 LED144/NW 120W 220-240V DM MP1	4000 K	14400 lm
911401622503	BRP392 LED192/NW 160W 220-240V DM MP1	4000 K	19200 lm
911401622903	BRP392 LED180/NW 150W 220-240V DM MP1	4000 K	18000 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401623303	BRP392 LED120/NW 100W 220-240V DM MP1	4000 K	12000 lm
911401623403	BRP392 LED84/NW 70W 220-240V DM MP1	4000 K	8400 lm
911401623503	BRP392 LED96/NW 80W 220-240V DM MP1	4000 K	9600 lm
911401623703	BRP392 LED108/NW 90W 220-240V DM MP1	4000 K	10800 lm
911401624003	BRP392 LED90/WW 80W 220-240V DM MP1	3000 K	9000 lm
911401624303	BRP392 LED135/WW 120W 220-240V DM MP1	3000 K	13500 lm
911401624503	BRP392 LED79/WW 70W 220-240V DM MP1	3000 K	7900 lm
911401624603	BRP392 LED102/WW 90W 220-240V DM MP1	3000 K	10200 lm
911401624903	BRP392 LED113/WW 100W 220-240V DM MP1	3000 K	11300 lm
911401625403	BRP392 LED169/WW 150W 220-240V DM MP1	3000 K	16900 lm
911401625703	BRP392 LED180/WW 160W 220-240V DM MP1	3000 K	18000 lm
911401673303	BRP393 LED236/WW 210W 220-240V DM MP1 GC	3000 K	23600 lm
911401673403	BRP393 LED203/WW 180W 220-240V DM MP1 GC	3000 K	20300 lm
911401673503	BRP393 LED248/WW 220W 220-240V DM MP1 GC	3000 K	24800 lm
911401673603	BRP393 LED271/WW 240W 220-240V DM MP1 GC	3000 K	27100 lm
911401673703	BRP393 LED288/NW 240W 220-240V DM MP1 GC	4000 K	28800 lm
911401673803	BRP393 LED259/WW 230W 220-240V DM MP1 GC	3000 K	25900 lm
911401673903	BRP393 LED276/NW 230W 220-240V DM MP1 GC	4000 K	27600 lm
911401674003	BRP393 LED214/WW 190W 220-240V DM MP1 GC	3000 K	21400 lm
911401674103	BRP393 LED226/WW 200W 220-240V DM MP1 GC	3000 K	22600 lm
911401674203	BRP393 LED192/WW 170W 220-240V DM MP1 GC	3000 K	19200 lm
911401674303	BRP393 LED252/NW 210W 220-240V DM MP1 GC	4000 K	25200 lm
911401674403	BRP393 LED204/NW 170W 220-240V DM MP1 GC	4000 K	20400 lm
911401674503	BRP393 LED264/NW 220W 220-240V DM MP1 GC	4000 K	26400 lm
911401674603	BRP393 LED216/NW 180W 220-240V DM MP1 GC	4000 K	21600 lm



Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401674703	BRP393 LED240/NW 200W 220-240V DM MP1 GC	4000 K	24000 lm
911401674803	BRP393 LED228/NW 190W 220-240V DM MP1 GC	4000 K	22800 lm
911401676503	BRP392 LED178/NW 150W DM MP1 ILT	4000 K	17800 lm
911401699903	BRP392 LED120/NW 100W DM MP1 ILT	4000 K	12000 lm
911401815598	BRP392 LED156/NW 130W 220-240V DM	4000 K	15600 lm
911401815698	BRP392 LED120/NW 100W 220-240V DM	4000 K	12000 lm
911401816298	BRP392 LED108/NW 90W 220-240V DM	4000 K	10800 lm
911401816398	BRP392 LED132/NW 110W 220-240V DM	4000 K	13200 lm
911401816498	BRP392 LED144/NW 120W 220-240V DM	4000 K	14400 lm
911401816598	BRP392 LED168/NW 140W 220-240V DM	4000 K	16800 lm
911401816698	BRP392 LED180/NW 150W 220-240V DM	4000 K	18000 lm
911401816798	BRP392 LED192/NW 160W 220-240V DM	4000 K	19200 lm
911401818198	BRP392 LED102/WW 90W 220-240V DM	3000 K	10152 lm
911401818298	BRP392 LED113/WW 100W 220-240V DM	3000 K	11280 lm
911401818398	BRP392 LED124/WW 110W 220-240V DM	3000 K	12408 lm
911401818498	BRP392 LED135/WW 120W 220-240V DM	3000 K	13536 lm
911401818598	BRP392 LED147/WW 130W 220-240V DM	3000 K	14664 lm
911401818698	BRP392 LED158/WW 140W 220-240V DM	3000 K	15792 lm
911401818798	BRP392 LED169/WW 150W 220-240V DM	3000 K	16920 lm
911401818898	BRP392 LED180/WW 160W 220-240V DM	3000 K	18048 lm
911401600104	BRP394 LED241/NW 200W DM MP1 ILT	4000 K	24100 lm
911401600204	BRP394 LED335/NW 280W DM MP1 ILT	4000 K	33500 lm
911401600304	BRP394 LED262/NW 220W DM MP1 ILT	4000 K	26200 lm
911401600404	BRP394 LED299/NW 250W DM MP1 ILT	4000 K	29900 lm
911401600504	BRP394 LED289/NW 240W DM MP1 ILT	4000 K	28900 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401617604	BRP394 LED335/WW 280W DM MP1 ILT	3000 K	33500 lm
911401618204	BRP394 LED193/WW 160W DM MP1 ILT	3000 K	19300 lm
911401618304	BRP394 LED241/WW 200W DM MP1 ILT	3000 K	24100 lm
911401618404	BRP394 LED289/WW 240W DM MP1 ILT	3000 K	28900 lm
911401618504	BRP394 LED262/WW 220W DM MP1 ILT	3000 K	26200 lm
911401618704	BRP394 LED215/WW 180W DM MP1 ILT	3000 K	21500 lm
911401618804	BRP394 LED299/WW 250W DM MP1 ILT	3000 K	29900 lm
911401618904	BRP394 LED356/WW 300W DM MP1 ILT	3000 K	35600 lm
911401622603	BRP394 LED216/NW 180W 220-240V DM MP1	4000 K	21600 lm
911401622703	BRP394 LED288/NW 240W 220-240V DM MP1	4000 K	28800 lm
911401622803	BRP394 LED300/NW 250W 220-240V DM MP1	4000 K	30000 lm
911401623003	BRP394 LED264/NW 220W 220-240V DM MP1	4000 K	26400 lm
911401623103	BRP394 LED240/NW 200W 220-240V DM MP1	4000 K	24000 lm
911401623203	BRP394 LED336/NW 280W 220-240V DM MP1	4000 K	33600 lm
911401624103	BRP394 LED384/NW 320W 220-240V DM MP1	4000 K	38400 lm
911401624203	BRP394 LED360/NW 300W 220-240V DM MP1	4000 K	36000 lm
911401625003	BRP394 LED361/WW 320W 220-240V DM MP1	3000 K	36100 lm
911401625103	BRP394 LED338/WW 300W 220-240V DM MP1	3000 K	33800 lm
911401625203	BRP394 LED203/WW 180W 220-240V DM MP1	3000 K	20300 lm
911401625303	BRP394 LED271/WW 240W 220-240V DM MP1	3000 K	27100 lm
911401625503	BRP394 LED248/WW 220W 220-240V DM MP1	3000 K	24800 lm
911401625603	BRP394 LED282/WW 250W 220-240V DM MP1	3000 K	28200 lm
911401625803	BRP394 LED316/WW 280W 220-240V DM MP1	3000 K	31600 lm
911401625903	BRP394 LED226/WW 200W 220-240V DM MP1	3000 K	22600 lm
911401676603	BRP394 LED356/NW 300W DM MP1 ILT	4000 K	35600 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401699703	BRP394 LED193/NW 160W DM MP1 ILT	4000 K	19300 lm
911401699803	BRP394 LED215/NW 180W DM MP1 ILT	4000 K	21500 lm
911401814798	BRP394 LED348/NW 290W 220-240V DM	4000 K	34800 lm
911401814898	BRP394 LED300/NW 250W 220-240V DM	4000 K	30000 lm
911401814998	BRP394 LED312/NW 260W 220-240V DM	4000 K	31200 lm
911401815098	BRP394 LED288/NW 240W 220-240V DM	4000 K	28800 lm
911401815198	BRP394 LED276/NW 230W 220-240V DM	4000 K	27600 lm
911401815298	BRP394 LED252/NW 210W 220-240V DM	4000 K	25200 lm
911401815398	BRP394 LED240/NW 200W 220-240V DM	4000 K	24000 lm
911401815498	BRP394 LED228/NW 190W 220-240V DM	4000 K	22800 lm
911401816898	BRP394 LED204/NW 170W 220-240V DM	4000 K	20400 lm
911401816998	BRP394 LED216/NW 180W 220-240V DM	4000 K	21600 lm
911401817098	BRP394 LED264/NW 220W 220-240V DM	4000 K	26400 lm
911401817198	BRP394 LED324/NW 270W 220-240V DM	4000 K	32400 lm
911401817298	BRP394 LED336/NW 280W 220-240V DM	4000 K	33600 lm
911401817398	BRP394 LED360/NW 300W 220-240V DM	4000 K	36000 lm
911401817498	BRP394 LED372/NW 310W 220-240V DM	4000 K	37200 lm
911401817598	BRP394 LED384/NW 320W 220-240V DM	4000 K	38400 lm
911401818998	BRP394 LED192/WW 170W 220-240V DM	3000 K	19176 lm
911401819098	BRP394 LED203/WW 180W 220-240V DM	3000 K	20304 lm
911401819198	BRP394 LED214/WW 190W 220-240V DM	3000 K	21432 lm
911401819298	BRP394 LED226/WW 200W 220-240V DM	3000 K	22560 lm
911401819398	BRP394 LED237/WW 210W 220-240V DM	3000 K	23688 lm
911401819498	BRP394 LED248/WW 220W 220-240V DM	3000 K	24816 lm
911401819598	BRP394 LED259/WW 230W 220-240V DM	3000 K	25944 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401819698	BRP394 LED271/WW 240W 220-240V DM	3000 K	27072 lm
911401819798	BRP394 LED282/WW 250W 220-240V DM	3000 K	28200 lm
911401819898	BRP394 LED293/WW 260W 220-240V DM	3000 K	29328 lm
911401819998	BRP394 LED305/WW 270W 220-240V DM	3000 K	30456 lm
911401820098	BRP394 LED316/WW 280W 220-240V DM	3000 K	31584 lm
911401820198	BRP394 LED327/WW 290W 220-240V DM	3000 K	32711.99999999 9996 lm
911401820298	BRP394 LED338/WW 300W 220-240V DM	3000 K	33840 lm
911401820398	BRP394 LED350/WW 310W 220-240V DM	3000 K	34968 lm
911401820498	BRP394 LED361/WW 320W 220-240V DM	3000 K	36096 lm
911401617704	BRP391 LED60/WW 50W DM MP1 ILT	3000 K	6000 lm
911401617904	BRP391 LED82/WW 70W DM MP1 ILT	3000 K	8200 lm
911401618104	BRP391 LED92/WW 80W DM MP1 ILT	3000 K	9200 lm
911401623603	BRP391 LED96/NW 80W 220-240V DM MP1	4000 K	9600 lm
911401623803	BRP391 LED84/NW 70W 220-240V DM MP1	4000 K	8400 lm
911401623903	BRP391 LED60/NW 50W 220-240V DM MP1	4000 K	6000 lm
911401624403	BRP391 LED90/WW 80W 220-240V DM MP1	3000 K	9000 lm
911401624703	BRP391 LED56/WW 50W 220-240V DM MP1	3000 K	5600 lm
911401624803	BRP391 LED79/WW 70W 220-240V DM MP1	3000 K	7900 lm
911401676303	BRP391 LED82/NW 70W DM MP1 ILT	4000 K	8200 lm
911401676403	BRP391 LED92/NW 80W DM MP1 ILT	4000 K	9200 lm
911401699603	BRP391 LED60/NW 50W DM MP1 ILT	4000 K	6000 lm
911401815798	BRP391 LED96/NW 80W 220-240V DM	4000 K	9600 lm
911401815898	BRP391 LED48/NW 40W 220-240V DM	4000 K	4800 lm
911401815998	BRP391 LED60/NW 50W 220-240V DM	4000 K	6000 lm
911401816098	BRP391 LED72/NW 60W 220-240V DM	4000 K	7200 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401816198	BRP391 LED84/NW 70W 220-240V DM	4000 K	8400 lm
911401817698	BRP391 LED45/WW 40W 220-240V DM	3000 K	4512 lm
911401817798	BRP391 LED56/WW 50W 220-240V DM	3000 K	5640 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial luminous flux
911401817898	BRP391 LED68/WW 60W 220-240V DM	3000 K	6768 lm
911401817998	BRP391 LED79/WW 70W 220-240V DM	3000 K	7896 lm
911401818098	BRP391 LED90/WW 80W 220-240V DM	3000 K	9024 lm

Light Technical

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401600004	BRP392 LED141/NW 120W DM MP1 ILT	5°	-	-
911401600604	BRP392 LED110/NW 90W DM MP1 ILT	5°	-	-
911401610004	BRP393 LED252/NW 210W 220-240V DM GM	0°	-	0
911401610104	BRP393 LED264/NW 220W 220-240V DM GM	0°	-	0
911401610204	BRP393 LED228/NW 190W 220-240V DM GM	0°	-	0
911401610304	BRP393 LED240/NW 200W 220-240V DM GM	0°	-	0
911401610404	BRP393 LED216/NW 180W 220-240V DM GM	0°	-	0
911401610504	BRP393 LED204/NW 170W 220-240V DM GM	0°	-	0
911401610604	BRP393 LED259/WW 230W 220-240V DM GM	0°	-	0
911401610704	BRP393 LED192/WW 170W 220-240V DM GM	0°	-	0
911401610804	BRP393 LED248/WW 220W 220-240V DM GM	0°	-	0
911401610904	BRP393 LED214/WW 190W 220-240V DM GM	0°	-	0
911401611004	BRP393 LED276/NW 230W 220-240V DM GM	0°	-	0
911401611104	BRP393 LED203/WW 180W 220-240V DM GM	0°	-	0
911401611204	BRP393 LED237/WW 210W 220-240V DM GM	0°	-	0
911401611304	BRP393 LED226/WW 200W 220-240V DM GM	0°	-	0
911401611404	BRP393 LED271/WW 240W 220-240V DM GM	0°	-	0
911401611504	BRP393 LED288/NW 240W 220-240V DM GM	0°	-	0
911401617504	BRP392 LED120/WW 100W DM MP1 ILT	5°	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401617804	BRP392 LED141/WW 120W DM MP1 ILT	5°	-	-
911401618004	BRP392 LED110/WW 90W DM MP1 ILT	5°	-	-
911401618604	BRP392 LED178/WW 150W DM MP1 ILT	5°	-	-
911401622403	BRP392 LED144/NW 120W 220-240V DM MP1	5°	-	-
911401622503	BRP392 LED192/NW 160W 220-240V DM MP1	5°	-	-
911401622903	BRP392 LED180/NW 150W 220-240V DM MP1	5°	-	-
911401623303	BRP392 LED120/NW 100W 220-240V DM MP1	5°	-	-
911401623403	BRP392 LED84/NW 70W 220-240V DM MP1	5°	-	-
911401623503	BRP392 LED96/NW 80W 220-240V DM MP1	5°	-	-
911401623703	BRP392 LED108/NW 90W 220-240V DM MP1	5°	-	-
911401624003	BRP392 LED90/WW 80W 220-240V DM MP1	5°	-	-
911401624303	BRP392 LED135/WW 120W 220-240V DM MP1	5°	-	-
911401624503	BRP392 LED79/WW 70W 220-240V DM MP1	5°	-	-
911401624603	BRP392 LED102/WW 90W 220-240V DM MP1	5°	-	-
911401624903	BRP392 LED113/WW 100W 220-240V DM MP1	5°	-	-
911401625403	BRP392 LED169/WW 150W 220-240V DM MP1	5°	-	-
911401625703	BRP392 LED180/WW 160W 220-240V DM MP1	5°	-	-
911401673303	BRP393 LED236/WW 210W 220-240V DM MP1 GC	5°	-	-
911401673403	BRP393 LED203/WW 180W 220-240V DM MP1 GC	5°	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401673503	BRP393 LED248/WW 220W 220-240V DM MP1 GC	5°	-	-
911401673603	BRP393 LED271/WW 240W 220-240V DM MP1 GC	5°	-	-
911401673703	BRP393 LED288/NW 240W 220-240V DM MP1 GC	5°	-	-
911401673803	BRP393 LED259/WW 230W 220-240V DM MP1 GC	5°	-	-
911401673903	BRP393 LED276/NW 230W 220-240V DM MP1 GC	5°	-	-
911401674003	BRP393 LED214/WW 190W 220-240V DM MP1 GC	5°	-	-
911401674103	BRP393 LED226/WW 200W 220-240V DM MP1 GC	5°	-	-
911401674203	BRP393 LED192/WW 170W 220-240V DM MP1 GC	5°	-	-
911401674303	BRP393 LED252/NW 210W 220-240V DM MP1 GC	5°	-	-
911401674403	BRP393 LED204/NW 170W 220-240V DM MP1 GC	5°	-	-
911401674503	BRP393 LED264/NW 220W 220-240V DM MP1 GC	5°	-	-
911401674603	BRP393 LED216/NW 180W 220-240V DM MP1 GC	5°	-	-
911401674703	BRP393 LED240/NW 200W 220-240V DM MP1 GC	5°	-	-
911401674803	BRP393 LED228/NW 190W 220-240V DM MP1 GC	5°	-	-
911401676503	BRP392 LED178/NW 150W DM MP1 ILT	5°	-	-
911401699903	BRP392 LED120/NW 100W DM MP1 ILT	5°	-	-
911401815598	BRP392 LED156/NW 130W 220-240V DM	0°	-	0
911401815698	BRP392 LED120/NW 100W 220-240V DM	0°	-	0
911401816298	BRP392 LED108/NW 90W 220-240V DM	0°	-	0
911401816398	BRP392 LED132/NW 110W 220-240V DM	0°	-	0
911401816498	BRP392 LED144/NW 120W 220-240V DM	0°	-	0
911401816598	BRP392 LED168/NW 140W 220-240V DM	0°	-	0
911401816698	BRP392 LED180/NW 150W 220-240V DM	0°	-	0
911401816798	BRP392 LED192/NW 160W 220-240V DM	0°	-	0
911401818198	BRP392 LED102/WW 90W 220-240V DM	0°	-	0

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401818298	BRP392 LED113/WW 100W 220-240V DM	0°	-	0
911401818398	BRP392 LED124/WW 110W 220-240V DM	0°	-	0
911401818498	BRP392 LED135/WW 120W 220-240V DM	0°	-	0
911401818598	BRP392 LED147/WW 130W 220-240V DM	0°	-	0
911401818698	BRP392 LED158/WW 140W 220-240V DM	0°	-	0
911401818798	BRP392 LED169/WW 150W 220-240V DM	0°	-	0
911401818898	BRP392 LED180/WW 160W 220-240V DM	0°	-	0
911401600104	BRP394 LED241/NW 200W DM MP1 ILT	5°	-	-
911401600204	BRP394 LED335/NW 280W DM MP1 ILT	5°	-	-
911401600304	BRP394 LED262/NW 220W DM MP1 ILT	5°	-	-
911401600404	BRP394 LED299/NW 250W DM MP1 ILT	5°	-	-
911401600504	BRP394 LED289/NW 240W DM MP1 ILT	5°	-	-
911401617604	BRP394 LED335/WW 280W DM MP1 ILT	5°	-	-
911401618204	BRP394 LED193/WW 160W DM MP1 ILT	5°	-	-
911401618304	BRP394 LED241/WW 200W DM MP1 ILT	5°	-	-
911401618404	BRP394 LED289/WW 240W DM MP1 ILT	5°	-	-
911401618504	BRP394 LED262/WW 220W DM MP1 ILT	5°	-	-
911401618704	BRP394 LED215/WW 180W DM MP1 ILT	5°	-	-
911401618804	BRP394 LED299/WW 250W DM MP1 ILT	5°	-	-
911401618904	BRP394 LED356/WW 300W DM MP1 ILT	5°	-	-
911401622603	BRP394 LED216/NW 180W 220-240V DM MP1	5°	-	-
911401622703	BRP394 LED288/NW 240W 220-240V DM MP1	5°	-	-
911401622803	BRP394 LED300/NW 250W 220-240V DM MP1	5°	-	-
911401623003	BRP394 LED264/NW 220W 220-240V DM MP1	5°	-	-
911401623103	BRP394 LED240/NW 200W 220-240V DM MP1	5°	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401623203	BRP394 LED336/NW 280W 220-240V DM MP1	5°	-	-
911401624103	BRP394 LED384/NW 320W 220-240V DM MP1	5°	-	-
911401624203	BRP394 LED360/NW 300W 220-240V DM MP1	5°	-	-
911401625003	BRP394 LED361/WW 320W 220-240V DM MP1	5°	-	-
911401625103	BRP394 LED338/WW 300W 220-240V DM MP1	5°	-	-
911401625203	BRP394 LED203/WW 180W 220-240V DM MP1	5°	-	-
911401625303	BRP394 LED271/WW 240W 220-240V DM MP1	5°	-	-
911401625503	BRP394 LED248/WW 220W 220-240V DM MP1	5°	-	-
911401625603	BRP394 LED282/WW 250W 220-240V DM MP1	5°	-	-
911401625803	BRP394 LED316/WW 280W 220-240V DM MP1	5°	-	-
911401625903	BRP394 LED226/WW 200W 220-240V DM MP1	5°	-	-
911401676603	BRP394 LED356/NW 300W DM MP1 ILT	5°	-	-
911401699703	BRP394 LED193/NW 160W DM MP1 ILT	5°	-	-
911401699803	BRP394 LED215/NW 180W DM MP1 ILT	5°	-	-
911401814798	BRP394 LED348/NW 290W 220-240V DM	0°	-	0
911401814898	BRP394 LED300/NW 250W 220-240V DM	0°	-	0
911401814998	BRP394 LED312/NW 260W 220-240V DM	0°	-	0
911401815098	BRP394 LED288/NW 240W 220-240V DM	0°	-	0
911401815198	BRP394 LED276/NW 230W 220-240V DM	0°	-	0
911401815298	BRP394 LED252/NW 210W 220-240V DM	0°	-	0
911401815398	BRP394 LED240/NW 200W 220-240V DM	0°	-	0
911401815498	BRP394 LED228/NW 190W 220-240V DM	0°	-	0
911401816898	BRP394 LED204/NW 170W 220-240V DM	0°	-	0
911401816998	BRP394 LED216/NW 180W 220-240V DM	0°	-	0
911401817098	BRP394 LED264/NW 220W 220-240V DM	0°	-	0

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401817198	BRP394 LED324/NW 270W 220-240V DM	0°	-	0
911401817298	BRP394 LED336/NW 280W 220-240V DM	0°	-	0
911401817398	BRP394 LED360/NW 300W 220-240V DM	0°	-	0
911401817498	BRP394 LED372/NW 310W 220-240V DM	0°	-	0
911401817598	BRP394 LED384/NW 320W 220-240V DM	0°	-	0
911401818998	BRP394 LED192/WW 170W 220-240V DM	0°	-	0
911401819098	BRP394 LED203/WW 180W 220-240V DM	0°	-	0
911401819198	BRP394 LED214/WW 190W 220-240V DM	0°	-	0
911401819298	BRP394 LED226/WW 200W 220-240V DM	0°	-	0
911401819398	BRP394 LED237/WW 210W 220-240V DM	0°	-	0
911401819498	BRP394 LED248/WW 220W 220-240V DM	0°	-	0
911401819598	BRP394 LED259/WW 230W 220-240V DM	0°	-	0
911401819698	BRP394 LED271/WW 240W 220-240V DM	0°	-	0
911401819798	BRP394 LED282/WW 250W 220-240V DM	0°	-	0
911401819898	BRP394 LED293/WW 260W 220-240V DM	0°	-	0
911401819998	BRP394 LED305/WW 270W 220-240V DM	0°	-	0
911401820098	BRP394 LED316/WW 280W 220-240V DM	0°	-	0
911401820198	BRP394 LED327/WW 290W 220-240V DM	0°	-	0
911401820298	BRP394 LED338/WW 300W 220-240V DM	0°	-	0
911401820398	BRP394 LED350/WW 310W 220-240V DM	0°	-	0
911401820498	BRP394 LED361/WW 320W 220-240V DM	0°	-	0
911401617704	BRP391 LED60/WW 50W DM MP1 ILT	5°	-	-
911401617904	BRP391 LED82/WW 70W DM MP1 ILT	5°	-	-
911401618104	BRP391 LED92/WW 80W DM MP1 ILT	5°	-	-
911401623603	BRP391 LED96/NW 80W 220-240V DM MP1	5°	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401623803	BRP391 LED84/NW 70W 220-240V DM MP1	5°	-	-
911401623903	BRP391 LED60/NW 50W 220-240V DM MP1	5°	-	-
911401624403	BRP391 LED90/WW 80W 220-240V DM MP1	5°	-	-
911401624703	BRP391 LED56/WW 50W 220-240V DM MP1	5°	-	-
911401624803	BRP391 LED79/WW 70W 220-240V DM MP1	5°	-	-
911401676303	BRP391 LED82/NW 70W DM MP1 ILT	5°	-	-
911401676403	BRP391 LED92/NW 80W DM MP1 ILT	5°	-	-
911401699603	BRP391 LED60/NW 50W DM MP1 ILT	5°	-	-
911401815798	BRP391 LED96/NW 80W 220-240V DM	0°	-	0

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop	Upward light output ratio
911401815898	BRP391 LED48/NW 40W 220-240V DM	0°	-	0
911401815998	BRP391 LED60/NW 50W 220-240V DM	0°	-	0
911401816098	BRP391 LED72/NW 60W 220-240V DM	0°	-	0
911401816198	BRP391 LED84/NW 70W 220-240V DM	0°	-	0
911401817698	BRP391 LED45/WW 40W 220-240V DM	0°	-	0
911401817798	BRP391 LED56/WW 50W 220-240V DM	0°	-	0
911401817898	BRP391 LED68/WW 60W 220-240V DM	0°	-	0
911401817998	BRP391 LED79/WW 70W 220-240V DM	0°	-	0
911401818098	BRP391 LED90/WW 80W 220-240V DM	0°	-	0

**Mechanical and Housing**

Order Code	Full Product Name	Color
911401600004	BRP392 LED141/NW 120W DM MP1 ILT	grey
911401600604	BRP392 LED110/NW 90W DM MP1 ILT	grey
911401610004	BRP393 LED252/NW 210W 220-240V DM GM	Gray
911401610104	BRP393 LED264/NW 220W 220-240V DM GM	Gray
911401610204	BRP393 LED228/NW 190W 220-240V DM GM	Gray
911401610304	BRP393 LED240/NW 200W 220-240V DM GM	Gray
911401610404	BRP393 LED216/NW 180W 220-240V DM GM	Gray
911401610504	BRP393 LED204/NW 170W 220-240V DM GM	Gray
911401610604	BRP393 LED259/WW 230W 220-240V DM GM	Gray
911401610704	BRP393 LED192/WW 170W 220-240V DM GM	Gray
911401610804	BRP393 LED248/WW 220W 220-240V DM GM	Gray
911401610904	BRP393 LED214/WW 190W 220-240V DM GM	Gray
911401611004	BRP393 LED276/NW 230W 220-240V DM GM	Gray
911401611104	BRP393 LED203/WW 180W 220-240V DM GM	Gray
911401611204	BRP393 LED237/WW 210W 220-240V DM GM	Gray
911401611304	BRP393 LED226/WW 200W 220-240V DM GM	Gray
911401611404	BRP393 LED271/WW 240W 220-240V DM GM	Gray
911401611504	BRP393 LED288/NW 240W 220-240V DM GM	Gray
911401617504	BRP392 LED120/WW 100W DM MP1 ILT	grey
911401617804	BRP392 LED141/WW 120W DM MP1 ILT	grey
911401618004	BRP392 LED110/WW 90W DM MP1 ILT	grey
911401618604	BRP392 LED178/WW 150W DM MP1 ILT	grey
911401622403	BRP392 LED144/NW 120W 220-240V DM MP1	grey
911401622503	BRP392 LED192/NW 160W 220-240V DM MP1	grey
911401622903	BRP392 LED180/NW 150W 220-240V DM MP1	grey
911401623303	BRP392 LED120/NW 100W 220-240V DM MP1	grey
911401623403	BRP392 LED84/NW 70W 220-240V DM MP1	grey
911401623503	BRP392 LED96/NW 80W 220-240V DM MP1	grey

Order Code	Full Product Name	Color
911401623703	BRP392 LED108/NW 90W 220-240V DM MP1	grey
911401624003	BRP392 LED90/WW 80W 220-240V DM MP1	grey
911401624303	BRP392 LED135/WW 120W 220-240V DM MP1	grey
911401624503	BRP392 LED79/WW 70W 220-240V DM MP1	grey
911401624603	BRP392 LED102/WW 90W 220-240V DM MP1	grey
911401624903	BRP392 LED113/WW 100W 220-240V DM MP1	grey
911401625403	BRP392 LED169/WW 150W 220-240V DM MP1	grey
911401625703	BRP392 LED180/WW 160W 220-240V DM MP1	grey
911401673303	BRP393 LED236/WW 210W 220-240V DM MP1 GC	grey
911401673403	BRP393 LED203/WW 180W 220-240V DM MP1 GC	grey
911401673503	BRP393 LED248/WW 220W 220-240V DM MP1 GC	grey
911401673603	BRP393 LED271/WW 240W 220-240V DM MP1 GC	grey
911401673703	BRP393 LED288/NW 240W 220-240V DM MP1 GC	grey
911401673803	BRP393 LED259/WW 230W 220-240V DM MP1 GC	grey
911401673903	BRP393 LED276/NW 230W 220-240V DM MP1 GC	grey
911401674003	BRP393 LED214/WW 190W 220-240V DM MP1 GC	grey
911401674103	BRP393 LED226/WW 200W 220-240V DM MP1 GC	grey
911401674203	BRP393 LED192/WW 170W 220-240V DM MP1 GC	grey
911401674303	BRP393 LED252/NW 210W 220-240V DM MP1 GC	grey
911401674403	BRP393 LED204/NW 170W 220-240V DM MP1 GC	grey
911401674503	BRP393 LED264/NW 220W 220-240V DM MP1 GC	grey
911401674603	BRP393 LED216/NW 180W 220-240V DM MP1 GC	grey
911401674703	BRP393 LED240/NW 200W 220-240V DM MP1 GC	grey
911401674803	BRP393 LED228/NW 190W 220-240V DM MP1 GC	grey
911401676503	BRP392 LED178/NW 150W DM MP1 ILT	grey
911401699903	BRP392 LED120/NW 100W DM MP1 ILT	grey
911401815598	BRP392 LED156/NW 130W 220-240V DM	Gray
911401815698	BRP392 LED120/NW 100W 220-240V DM	Gray

Order Code	Full Product Name	Color	Order Code	Full Product Name	Color
911401816298	BRP392 LED108/NW 90W 220-240V DM	Gray	911401815198	BRP394 LED276/NW 230W 220-240V DM	Gray
911401816398	BRP392 LED132/NW 110W 220-240V DM	Gray	911401815298	BRP394 LED252/NW 210W 220-240V DM	Gray
911401816498	BRP392 LED144/NW 120W 220-240V DM	Gray	911401815398	BRP394 LED240/NW 200W 220-240V DM	Gray
911401816598	BRP392 LED168/NW 140W 220-240V DM	Gray	911401815498	BRP394 LED228/NW 190W 220-240V DM	Gray
911401816698	BRP392 LED180/NW 150W 220-240V DM	Gray	911401816898	BRP394 LED204/NW 170W 220-240V DM	Gray
911401816798	BRP392 LED192/NW 160W 220-240V DM	Gray	911401816998	BRP394 LED216/NW 180W 220-240V DM	Gray
911401818198	BRP392 LED102/WW 90W 220-240V DM	Gray	911401817098	BRP394 LED264/NW 220W 220-240V DM	Gray
911401818298	BRP392 LED113/WW 100W 220-240V DM	Gray	911401817198	BRP394 LED324/NW 270W 220-240V DM	Gray
911401818398	BRP392 LED124/WW 110W 220-240V DM	Gray	911401817298	BRP394 LED336/NW 280W 220-240V DM	Gray
911401818498	BRP392 LED135/WW 120W 220-240V DM	Gray	911401817398	BRP394 LED360/NW 300W 220-240V DM	Gray
911401818598	BRP392 LED147/WW 130W 220-240V DM	Gray	911401817498	BRP394 LED372/NW 310W 220-240V DM	Gray
911401818698	BRP392 LED158/WW 140W 220-240V DM	Gray	911401817598	BRP394 LED384/NW 320W 220-240V DM	Gray
911401818798	BRP392 LED169/WW 150W 220-240V DM	Gray	911401818998	BRP394 LED192/WW 170W 220-240V DM	Gray
911401818898	BRP392 LED180/WW 160W 220-240V DM	Gray	911401819098	BRP394 LED203/WW 180W 220-240V DM	Gray
911401600104	BRP394 LED241/NW 200W DM MP1 ILT	grey	911401819198	BRP394 LED214/WW 190W 220-240V DM	Gray
911401600204	BRP394 LED335/NW 280W DM MP1 ILT	grey	911401819298	BRP394 LED226/WW 200W 220-240V DM	Gray
911401600304	BRP394 LED262/NW 220W DM MP1 ILT	grey	911401819398	BRP394 LED237/WW 210W 220-240V DM	Gray
911401600404	BRP394 LED299/NW 250W DM MP1 ILT	grey	911401819498	BRP394 LED248/WW 220W 220-240V DM	Gray
911401600504	BRP394 LED289/NW 240W DM MP1 ILT	grey	911401819598	BRP394 LED259/WW 230W 220-240V DM	Gray
911401617604	BRP394 LED335/WW 280W DM MP1 ILT	grey	911401819698	BRP394 LED271/WW 240W 220-240V DM	Gray
911401618204	BRP394 LED193/WW 160W DM MP1 ILT	grey	911401819798	BRP394 LED282/WW 250W 220-240V DM	Gray
911401618304	BRP394 LED241/WW 200W DM MP1 ILT	grey	911401819898	BRP394 LED293/WW 260W 220-240V DM	Gray
911401618404	BRP394 LED289/WW 240W DM MP1 ILT	grey	911401819998	BRP394 LED305/WW 270W 220-240V DM	Gray
911401618504	BRP394 LED262/WW 220W DM MP1 ILT	grey	911401820098	BRP394 LED316/WW 280W 220-240V DM	Gray
911401618704	BRP394 LED215/WW 180W DM MP1 ILT	grey	911401820198	BRP394 LED327/WW 290W 220-240V DM	Gray
911401618804	BRP394 LED299/WW 250W DM MP1 ILT	grey	911401820298	BRP394 LED338/WW 300W 220-240V DM	Gray
911401618904	BRP394 LED356/WW 300W DM MP1 ILT	grey	911401820398	BRP394 LED350/WW 310W 220-240V DM	Gray
911401622603	BRP394 LED216/NW 180W 220-240V DM MP1	grey	911401820498	BRP394 LED361/WW 320W 220-240V DM	Gray
911401622703	BRP394 LED288/NW 240W 220-240V DM MP1	grey	911401617704	BRP391 LED60/WW 50W DM MP1 ILT	grey
911401622803	BRP394 LED300/NW 250W 220-240V DM MP1	grey	911401617904	BRP391 LED82/WW 70W DM MP1 ILT	grey
911401623003	BRP394 LED264/NW 220W 220-240V DM MP1	grey	911401618104	BRP391 LED92/WW 80W DM MP1 ILT	grey
911401623103	BRP394 LED240/NW 200W 220-240V DM MP1	grey	911401623603	BRP391 LED96/NW 80W 220-240V DM MP1	grey
911401623203	BRP394 LED336/NW 280W 220-240V DM MP1	grey	911401623803	BRP391 LED84/NW 70W 220-240V DM MP1	grey
911401624103	BRP394 LED384/NW 320W 220-240V DM MP1	grey	911401623903	BRP391 LED60/NW 50W 220-240V DM MP1	grey
911401624203	BRP394 LED360/NW 300W 220-240V DM MP1	grey	911401624403	BRP391 LED90/WW 80W 220-240V DM MP1	grey
911401625003	BRP394 LED361/WW 320W 220-240V DM MP1	grey	911401624703	BRP391 LED56/WW 50W 220-240V DM MP1	grey
911401625103	BRP394 LED338/WW 300W 220-240V DM MP1	grey	911401624803	BRP391 LED79/WW 70W 220-240V DM MP1	grey
911401625203	BRP394 LED203/WW 180W 220-240V DM MP1	grey	911401676303	BRP391 LED82/NW 70W DM MP1 ILT	grey
911401625303	BRP394 LED271/WW 240W 220-240V DM MP1	grey	911401676403	BRP391 LED92/NW 80W DM MP1 ILT	grey
911401625503	BRP394 LED248/WW 220W 220-240V DM MP1	grey	911401699603	BRP391 LED60/NW 50W DM MP1 ILT	grey
911401625603	BRP394 LED282/WW 250W 220-240V DM MP1	grey	911401815798	BRP391 LED96/NW 80W 220-240V DM	Gray
911401625803	BRP394 LED316/WW 280W 220-240V DM MP1	grey	911401815898	BRP391 LED48/NW 40W 220-240V DM	Gray
911401625903	BRP394 LED226/WW 200W 220-240V DM MP1	grey	911401815998	BRP391 LED60/NW 50W 220-240V DM	Gray
911401676603	BRP394 LED356/NW 300W DM MP1 ILT	grey	911401816098	BRP391 LED72/NW 60W 220-240V DM	Gray
911401699703	BRP394 LED193/NW 160W DM MP1 ILT	grey	911401816198	BRP391 LED84/NW 70W 220-240V DM	Gray
911401699803	BRP394 LED215/NW 180W DM MP1 ILT	grey	911401817698	BRP391 LED45/WW 40W 220-240V DM	Gray
911401814798	BRP394 LED348/NW 290W 220-240V DM	Gray	911401817798	BRP391 LED56/WW 50W 220-240V DM	Gray
911401814898	BRP394 LED300/NW 250W 220-240V DM	Gray	911401817898	BRP391 LED68/WW 60W 220-240V DM	Gray
911401814998	BRP394 LED312/NW 260W 220-240V DM	Gray	911401817998	BRP391 LED79/WW 70W 220-240V DM	Gray
911401815098	BRP394 LED288/NW 240W 220-240V DM	Gray	911401818098	BRP391 LED90/WW 80W 220-240V DM	Gray

